Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



(1564年)

COTTON VARIETIES PLANTED 1990 CROP



UNMED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee
August 1990

(60)/1113/1113

Tabl			<u> </u>
	Interoduction of the company of the company varieties who can be company to company the company of the company	我们是是自己的,我们就是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	
1_{c_1}	Varieties by states and United States, (eropofilogo o poesso o esta a como o	р" о р. <u>Д</u> -З
* 20 30	Varieties planted by elassing offices, and the common of t		以为1990年1990年1990年1990年1990年1990年1990年1990
克尔特罗金斯科斯斯克斯特	Bakersfileldo o o o o o o o o o o o o o o o o o o	$\mathbf{p} \cap \mathbf{p}_{\mathbf{p}} \cdot \mathbf{q}_{\mathbf{p}} \cdot \mathbf{p}_{\mathbf{p}} \cdot \mathbf{p}_{\mathbf{p}} \cdot \mathbf{q}_{\mathbf{p}} \cdot \mathbf{q}_{\mathbf$	o 70 o
6. 7,			'ä a в <u>б</u>
4 Bo 1961 1	El Pego, o a a a a a a a a o o a a a a a a a a		
10. 11. 12. 13.	Fresmo 6 6 6 6 6 0 0 0 6 6 6 6 6 6 6 6 6 6 6		
14; 15; 16; 17;	Hamesa , o o o o o o o o o o o o o o o o o o		6 a p 10. 6 a a 11.
18. 19. 20.	Phoenix. o o o o o o o o o o o o o o o o o o o	$\alpha = \alpha + $	ñ o o 112;
22 o	Estimated percentage of American Pina covarieties, by states, crop of 1990 Estimated percentage of American Pina covarieties, by classing offices, crop of	octon acreage planted to specified	

UNITED STATES DEPARTMENT OF ACTIOULTURE
ACRECULTURAL MARKETTENC SERVICE
GOTTON DIVISION, MARKET NEWS BRANCH
4841 SUMMER AVENUE - MEMPHIS, IN 38122
Telephone 901-521-2931

Cotton Varieties Planted, United States 1990 Crop

Deltapine was the leading variety of upland cotton planted in the United States for the 1989-90 season, according to the Cotton Division, Agricultural Marketing Service, USDA. Paymaster was the second most popular variety followed by Stoneville, Acala, Tamcot and Germain's.

Deltapine was the leading variety of upland cotton planted in the U.S. for the 1990-91 season. This variety accounted for 38.2 percent of the national acreage. Deltapine was the leading variety planted in Alabama, Arizona, Arkansas, Georgia, Louisiana, Mississippi, Missouri, North Carolina and Tennessee. Deltapine 50 and Acala 90 were the most popular strains, accounting for 17.1 and 11.8 percent of the U.S. acreage, respectively.

Paymaster was the second leading variety planted in 1990 and accounted for 17.8 percent of the U.S. acreage. Paymaster was the most popular variety planted in Texas and the second most favored variety planted in New Mexico and Oklahoma. The leading strains were Paymaster HS 26 and 145, accounting for 9.7 and 7.4 percent of the U.S. acreage, respectively.

Stoneville was the next most popular variety and accounted for 7.0 percent of the U.S. acreage. Stoneville was the second most popular variety planted in Alabama, Arkansas, Georgia, Louisiana, Missouri and Tennessee. Stoneville 453 and 506 were the predominant strains, accounting for 2.7 and 2.3 percent of the national acreage, respectively.

The fourth most popular variety planted in 1990 was Acala. This variety accounted for 5.8 percent of the U.S. acreage and was the leading variety planted in California and New Mexico and the second most favored in Arizona. Acala SJ-2 was the leading Acala strain, making up 4.3 percent of the national acreage.

The fifth most popular variety was Tamcot, accounting for 3.7 percent of the U.S. acreage. Tamcot was the third most favored variety planted in Texas. Tamcot SP-21 and CAB-CS were the most popular strains accounting for 0.9 and 1.7 percent of the 1990 acreage, respectively.

The sixth most prevalent variety planted was Germain's, which made up 4.3 percent of total U.S. acreage. This variety was the second most popular variety planted in California. Acala GC-510 was the leading Germain's strain and made up 3.5 percent of U.S. acreage.

Pima S-6 remained the leading strain of American Pima cotton planted in the United States for the 1990 crop. This was the seventh consecutive year Pima S-6 has been predominant and accounted for 98.7 percent of the total acreage planted this season. S-5, at 1.3 percent, made up the remainder of the 1990 American Pima acreage.

Estimates of the percentage of the various varieties of cotton planted in the United States for 1989 by counties, classing offices and states are presented in this report. The variety data are based primarily on estimates furnished by cotton ginners for the territories served by their gins.

Estimated percentage of upland cotton acreage planted to specified varieties, United States, 1986-1990

Year	:	Acala	:	Delta- pine	: Germain's :	-	Stone- ville		:	Other	: Total
		Pct.		Pct.	Pct.	Pct.	 Pct.	Pct.		Pct.	Pct.
1986		7.0		27.0	4.0	11.0	16.0	7.0		25.0	100.0
1987		7.0		25.0	4.0	13.0	13.0	6.0		31.0	100.0
1988		6.9		30.0	4.6	13.8	10.7	6.0		28.0	100.0
1989		7.0		32.5	4.4	12.0	10.1	6.8		27.2	100.0
1990		5.8		38.2	4.3	17.8	7.0	3.7		19.4	100.0

3
33
-
÷
_
0
9
- 5
-
9)
tate
- co
:0
P
4
* 000
_
_
P
C
(C)
E/O
a)
- Card
state
S
-
2
-
rieties,
.=
4
a
-
10
>
-
9
4
pecified
a
Ω.
01
0
4-
-
a
nte
E
-
0
_
0
4
+
cotto
P
=
100
-
a
upi
f up l
of up!
of up!
ge of up!
age of up!
itage of up!
entage of up!
centage of up!
rcentage of up!
percentage of up!
percentage of up!
d percentage of up!
ted percentage of up!
ated percentage of up!
mated percentage of upl
imated percentage of upl
stimated percentage of upl
Estimated percentage of upi
Estimated percentage of upl
. Estimated percentage of upi
1. Estimated percentage of upi
1. Estimated percentage of upi
e 1. Estimated percentage of upi
ble 1. Estimated percentage of upi
able 1. Estimated percentage of upl
Table 1. Estimated percentage of upl

1877-78 1878	Α'	VARIETY	A	 AZ	AR				5	MS	 Q	 M	NC NC	¥		: : :		¥	ALL: OTHER: 1/	: UNITED : STATES : 2/	22.0
900 UCME 1-2-7 1-30 1	ACALA	C-32 C-37 SJ-2 SJ-5 H-5 1517-75 1517-77 1517-88 1517-88 1517 E-1 1517 E-2 1517-581		0.6		11.11.11.11.11.11.11.11.11.11.11.11.11.	19609		1111111111			- - - - - - - - - - - - - - - - - - -	1111111111			1111111111				0 4 * * * * * * * * *	ω σ
C-13 130 140 150 150 160 170 180 180 180 180 180 180 18	ALL-TEX BRONCO	QUICKIE E-2 360	1 1 1	1 1 1	1 1 1	111		1) 1		r't t	1 1 1	1.6	1 1 1	0.6		1 1 1	1 1 1	o * 1	r t t	0 * *	o
130 315 317 318 318 319 319 319 319 319 319 319 319 319 319	CASCOT	C-13 L-7 2910		1 1 1	1 1 1	, , ,		1.1.1	_ 1 1 1	1 1 1	151	1 1 1	111	10.6		1 1 1	111	0.9	1 1	**	r
Facility	COKER	130 304 312 315 320 500		* 1 1 1 1 1	*!!!!!	. 1 1 1 1 1 (1 + 1 5.5 + 1	1 1 1 + 1 1	*	11111	2.0	3.1 + 1.6	11111		5.8	1 1 1 1 1 1	0.5	1 1 1 1 1 1	*****	
119 7.7 1.5 3.3 - 4.8 4.3 15.4 2.7 - 9.0 - 4 2.1 1.1 - 1.1 - 1.0	DELTAPINE	ACALA 90 ACALA 6166 20 41 50 51 61		52.2 4.0 1.0 6.1 2.1 20.7	18.7 * 47.9 0.5	.00 * * 00 *		4.6 6.9 0.7	36.9 14.6 8.0 19.4 1.2	3.4 17.9 4 46.7 3.0	1 1 2 4 4 6 1 1	31114111	14.9	10.4		9:11	22.1	7.6	29.6 9.9 19.7 29.6	6.4.00.00	œ ۣ ۺۺ ۦ ڜ ۣ ؈
GP 3755 - - - - - - - - + - - + - </th <th>DES-</th> <th>119</th> <th></th> <th>1.5</th> <th>3,3</th> <th></th> <th></th> <th>4.8</th> <th>4.3</th> <th>15.4</th> <th>7:3</th> <th>3.7</th> <th>0.6</th> <th>1 11</th> <th></th> <th>+ 11</th> <th>2.1</th> <th>1.0.4</th> <th>1 11</th> <th>m • • *</th> <th>د. اد آ</th>	DES-	119		1.5	3,3			4.8	4.3	15.4	7:3	3.7	0.6	1 11		+ 11	2.1	1.0.4	1 11	m • • *	د. اد آ
65C 25	G & P GERMAIN'S	GP 3755 GP 3774 GC-356 GC-510	11 11	11 1+	1 1 1 1	34.			I i I i	1 1 1 1	1 1 1 1	11 1+	1-1-1-1-1	0.0	6	11111	1 1 1 1	* 6 1 1	1 1 1 1	ီဝံ ဝဲက်	் க வர
* 0.8 0.8 0.0	GROWERS	GSC 25 GSC 27 1379	1 1 1	11 1	1 1 1			1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 2	m	1 1 1	1 1 1	2.0	11 1	0	o. * *
	HUROT'S	700	1 1					1 1	1 1	1 1	, ,	, ,	1 1	1.0	8			* 1			

VARIETY		₹	YK	AR					••				••				<u> </u>	. UINCK		STATES 2/
HYPERFORMER	HS-46 HS-47	1 1	1.1	* 1	11	11		9.6	1.1	- 1 1	2-1-1	* 1	1.8			. 1 1	+ 1			**
LANKART	LX-571 PR-75 57	1 1 1	1 1 1	r r r	111				1.6.1	r re	111	1 1 1	9.9	- 0	f i i	1 1 1	6.0		13/1	+ 0.5
	175 511 611	ı ti	1 1 1	111	1 1 1					1 (1	1 -1 1	1 1 1	6.3		1 1 1	1 1 1	0.8			* + *
MCNAIR	220	* *	F es	1 4	1 1	2.9	G. (0	. 1 *	0.5	1 1	2.2	3.0			1 4	<u> </u>	* *	1 1		* *
MORTHRUP KING	KC311 KC380	1 +	4 1	2.1	* 1	* 1		1 1	1 4		-1.4	2.1	21 6		3,8	1 4	* *	1 1		4.4
PAYMASTER	HS 26 145	1 1	9.0	1.1	1.1	1 1		1 1	1.1	1 1	14.1	1-1	6.2		1 1	1 1	21.0			9.7
	303	1 1 1	1 1 1	1 (1	1 1 1	1 1 1					0.6	1 1 1	1 1 1		111	1 1 1	9.0	1 1 1		* * *
-0A	m	1	1	1	1	9.6		ſ		ı		1		15.4	4	. 1	1	1		*
RANGER	88 53	-1	- 1	ſ	1	'				i	1		.1			,	1.4	1		9.0
ROSEBUD	PR 80	1	1	í	1	,			,	1	r	1	1.0		1	1	2.5	1		1.2
STONEVILLE	112 213	1 1	+ 1	+ 1	1 1	* 1		* 1	* 1	# (1 1	1 1	.0			(.)	* -	1 1		* -
	453 506	0.8	* *	10.7	1 1	6.9		3.6 3.6 4.3 3.3		7.6	1 1	1.8	2:3		3.9	10.8	6.0	9.9		2.3
	822	10.2	-:-	2.4	1	4.1				1.9	1	1	1			3.0	6.0	1		1.7
SUMMIT	C-40 SR-383	1 1	* 1	1.4	1 1	1 1	1	7.0 6.1	1.	, ;	0.5	1 1	1 1			1 1	4.9	1 1		4.2.2
SUN VALLEY	SV 46		9.0	í	1			*		1	f	1	1		-	í	i.	1		4
SUREGROW	1001	*	8.0	-1	1					ı	ï	i	í			1	1	1		+
TAMCOT	CAB-CS	1	1	-1	1	1		1		ſ	1	1	7.2				3.2	1	1	1.7
	СОЗН	1	1	i	1	1				1 1	1 1	1 1	= 1			1 1	0.6	1 1		+ +
	SP21 SP215	1 1	1 1	1 1	1 1	1 1		1 1		1.1	1 1	1 1	1 1	1 (1 1	2.1	1 1	0	6.0
TIFCOT	95	1	(1	1	0.5		1		1	i	- (1	1		ı	ı	1		-44
ALL OTHER 3/		1.6	2.1	2.3	0.5	2.4		0.9 2.3		9.0	1.8	3.5	3.1	1.2		0.8	12.7	1	12.	12.4
Total	TOO O	100.0	100.0	100.0	100.0	100.0	100.0	.0 100.0		100.00	100.0	100.0	100.0	100.0		100.0	100.0	100.0	100.0	0.

Table 2. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

TOTAL	Pet.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
OTHER	Pct.	5.2	24.9	23.0	20.6	13.7	42.5	47.0	17.4	37.7	18.4	14.0	22.4
TAMCOT SP-37	Pet.	1		19.4	2.1	1	1	15.0	1	•	1	1	2.4
TAMCOT SP-21	Pet.	7.1		0.8	5.5	5.6	2.0	1	1.6	30.9	3.9	12.9	7.0
TAMCOT CAMD-E	Pet.	3.1	1	ı	0.5	32.9	1.0	1	ı	4.7	1	0.8	2.3
TAMCOT CAB-CS	Pct.	1	11.0	12.9	1	8.1	1	10.0	1	15.0	1	3.2	5.2
ROSEBUD PR-80	Pct.	77.3	1	1	2.8	1	•	1	22.5	1	5.0	3.1	8.5
YMASTER 145	Pct.	1	2.8	1	1	3.8	16.5	2.0	1	11.7	1	0.8	3.1
IVMASTER PA HS-26	Pct.	ı	1	7.7	1	1	2.0	1	15.0	٠	•	7.3	3,4
LANKART PA	Pct.	4.2	21.0	1	45.1	31.2	•	10.0	0.9	1	1	3.7	10.4
LANKART 57	Pet.	1	,	1	10.6	1	•	1	*	ì	1	3.4	1.8
LX-571	Pct.	1	16.9	1	8.3	1	1	1	6.0	1	1	3,3	4.1
GROWERS GSC 27	Pct.	1	1	1	1	,	,	1	ı	1	1	6.9	1.7
6 8 P 3774	Pct.	3.1	5.5	1	4.5	1	•	2.0	28.6	1	9.1	4.2	4.7
C-13 ACALA 90	Pct.	1	1.2	36.2	1	1	33.0	11.0	12.8		63.6	36.0	20.1
CASCOT DI	Pct.	1	16.7	1	1	7.7	1	1	1	1	1	*	2.9
STATE AND COUNTY	TEXAS:	FISHER	HASKELL	HOWARD 1/	JONES	KNOX	MARTIN 1/	MITCHELL	RUNNELS	SCURRY 2/	TOM GREEN	ALL OTHER	OFFICE TOTAL

1/ A portion of this county is served by Lamesa Classing office. 2/ A portion of this county is served by Lubbock Classing office. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 3. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

- 4 -	STATE AND COUNTY	CASCOT C-13		CASCOT DELTAPINE 2910 ACALA 90	ELTAPINE ACALA 90	LANKART PR-75	LANKART 57	LANKART 175	LANKART 311	LANKART 511	LANKART P	LANKART PAYMASTER PAYMASTER 611 HS 26 145	AYMASTER 145	RANGER BB 53	TAMCOT CAB-CS	TAMC0T CAMD-E	OTHER	TOTAL
	AND A DOM	Pe	Pct.	Pet.	Pct.	Pct.	Pct.	Pct.	Pet.	Pet.	Pet.	Pct.	Pct.	Pet.	Pct.	Pet.	Pct.	Pct.
	UKLAHUMA: BECKHAM		-1	1	1	9.89	1	ı	ľ		6.2	1	3.1	1	1	1	22.1	100.0
	CADDO	8	8.1	4.1	1 0	4.0	1 0	15.6	1	1	1	1 1	41.6	1	1	7.1	19.5	100.
	HARMON		1 1	1 1	10.0	43.5	11.8	1 1	1 1	1 1	1 1	10.0	45.0	1 1	, '1	1 1	45.0	100.
	JACKSON			1	66.4	1	1	4.3	1		- 0 70	4.3	101	1	6.4	1.1	20.7	100.0
	TILLMAN	33	33.4	5.0	1	5.2	15.7	15.4		1.4	2.10	3.3	10.7	1 1	12.2	1.8	6.6	100
	WASHITA		1	1	1	9.1	12.7	2.7	1	1	4.5	9.61	41.0	1	'	-	10.4	100
	ALL OTHER		1	29.6	1	14.6	0.9	*	4.0	9.9	10.2	5.3	7.2	١	ı	1.8	11.0	100.
	TOTAL	10	9.01	4.7	10.4	9.9	7.4	6.4	+	1.4	6.3	6.2	12.9	1	7.2	1.1	15.2	100.0
	TEXAS:																	
	COLL INGSMORTH		1	1	1	3.0	1	1	2.0	2.0	4.0	16.0	41.0	1	2.0	1	24.0	100.
	HALL	4	4.4		1	1	1	1	1	1	1	19.5	69.4	1 4	1	6.7	1 6	100
	WILLBARGER		1	1	10.0	6.3	6,3	1		11.2	1	15.0	15.0	43.0	, ,	6.3	29.9	100.0
	ALL OTHER	0	0.5	1	1	4.5	3.5	3.5	6.5	14.9	9.6	29.0	17.4	1	3.6	1	7.0	100
	TOTAL		1.1	1	1.4	3.4	2.5	1.6	3.7	8.8	5.0	24.8	28.7	3,3	2.3	2.2	11.11	100.0
	OFFICE TOTAL 1/	S	5.6	2.2	5.7	6.5	4.8	3.9	2.1	5.3	5.6	15.9	21.2	1.7	4.7	1.6	13.0	100.0

000000000

1/ Includes small acreages in Kansas. * Less than 0.5 percent.

0

00000

Table 4. Bakersfield Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE	ACALA	ACALA	ACALA	ACALA	ACALA DE	LTAPINE GE	RMAIN'S G	ERMAIN'S								
AND	C-37	M-5	PREMA (C-32)	2-15	27-2	SJ-5 ACALA ACALA ACAL DP-6166 GC-510 GC-35	ACALA GC-510	ACALA GC-356							OTHER	TOTAL
CAI TEORNIA.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pet.	Pct.	Pct.						
KERN	0.8	*	16.4	61.5	1.0	+	13.7	6.1							+	100.0
KINGS 1/	*	10.0	0.5	73.8	1	0.7	11.4	3.1							-#=	100.0
TULARE 1/	*	1	5.5	28.5	+	*	53.3	10.9							1	100.0
OFFICE TOTAL	0.5	3.4	9.5	. 9.69	0.5	*	20.2	6.0		E					*	100.0

Table 5. Birmingham Classing Office: Estimated

STATE COKER DELTAPINE DELTAPINE DELTAPINE DELTAPINE DELTAPINE AND S15.0 ACALA 90 20.0 41.0 50.0 61.0 COUNTY ALABAMA: CHEROKEE - 11.0 - 6.2 - 6.2 DALLAS - 88.9 - 4.2 1.1 -	DELTAPINE DE 20.0 Pct.	41.0 Pct.	TAP INE DEL 50.0	TAPINE 61.0	DES-	MCNAIR					1			2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Pet.	Pct.	Pct.			119.0	220.0	235.0	KING KC 380	VILLE 453.0	STONE- VILLE 506.0	VILLE 825.0	SUREGROM S1001	OTHER	TOTAL
1 1 1	1 55		Pct.	Pct.	Pct.	Pc+.	Pet	Pet	Pr+	Pr+	Pc+	p.+	Dr.+	Po+
	1 10	ı										***	•	•
1 1	1.5		6.2		0.69	1	i	1	-1	•	9.7	4.1	1	100.0
1		1	70.8	1	8.4	1	1	1	19.3	1	1	1	1	100.0
		4.2	1.1	1	5.4	,		1	1	*		ı	1	100.0
	1	10.6	1.0	1	5.7	1	1	1	1	- 1	5.7	1	1	100
J	1	1	71.0	1	3.9	1	1.3	1	3.7	1		1	-1	100 0
1	ŧ	1	69.2	1	3.0	1	1.5	1.8	10.4	1	5.1	1	*	100.0
	1		11.7	1	4.7	4.0	1			6.0	12.9	1	1	100.0
*	1.1	10.1	14.4	0.5	5.6	1	*	*	1.7	*	15.6	1	**	100.0
OFFICE TOTAL 1/ * 37.7	9.0	4.8	32.8	*	7.4	чk	*	*	5.5	0.8	9.7	*	*	100.0

1/ Includes small acreages in Florida. * Less than 0.5 percent.

Table 6. Corous Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties. by counties. crop of 1990

STATE	ALL-TEX	CASCOT DE	LTAPINE DE	LTAPINE DEL	TAPINE DEL	TAPINE DEL	TAPINE	DES-	G & P	G & P	SOUTH	STONE-	STONE-	TAMCOT		
AND	QUICKIE	C-13 A	C-13 ACALA 90 20 41 50 51	20	41	20	51	119	74+	3774	WEST 222	VILLE 453	VILLE 506	CAB-CS	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS: NUECES	0.9	4.3	- 1	1:1	1	37.7	5.3	4.1	2.1	3.2	2.9	+	-	22.6	10.2	100.0
SAN PATRICIO	2.8	1	1	1	1	40.1	*	0.9	1.5	8.1	,	1.6	1	39.0	5.9	100.0
ALL OTHER	8.0	1	3.7	23.2	3.6	22.2	4.6	4.8	*	2.1	1	16.3	9.1	6.4	2.8	100.0
OFFICE TOTAL	3,3	1.5	1.2	7.9	1.2	33.5	3.4	3.3	1.3	4.5	1.0	5.9	2.9	22.8	6.4	100.0

Table 7. Dumas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE AND COUNTY	DELTAPINE D ACALA 90	DEL TAP INE	DELTAPINE DELTAPINE DELTAPINE DELTAPINE ACALA 90 20 41 50 51	ELTAPINE DE 50	LTAPINE 51	DES- 119	STONE- VILLE 453	STONE- VILLE 506	STONE- VILLE 825	C-30	SUMMIT C-40				OTHER	TOTAL
	Pct.	Pct.	Pet.	Pct.	Pct.	Pct.	Pet.	Pct.	Pct.	Pet.	Pct	Pet	Pet	Pet	Pet	Pc+
S:																
>	1	55.8	1	19.6	,	1.2	11.9	11.5	1	1	i				1	100.0
_	1	5.0	1	56.6	,	1	32.2	6.2	•		1				,	100.0
	2.0	2.0	1	52.9	0.9	1	19.2	21.5	1	t	1.5				1	100.0
RSON	3.1	9.0	1	68.8	1.1	1.6	1.9	7.9	2.3	4.9	5.9				1.9	100.0
Z	1.9	3.2	1.0	59.5	1.0	4.2	13.1	12.7	1.0	1					2.4	100.0
ш	1	20.3		72.4	1	1	6.5	0.8		ı	1				1	100.0
THER	1.9	47.5	1	15.9	0.8	9.6	10.9	1.6	1	1	8.2				3.6	100.0
OFFICE TOTAL	1.4	21.3	+	45.9	9.0	2.7	13.3	8.9	0.5	0.9	3.0				1.3	100.0

* Less than 0.5 percent.

Table 8. El Paso Classing Office; Estimode percentage of cotton acreage planted to specified Jarieties by counties, crop of 1990

STATE AND COUNTY	ACALA 1517- E-2	ACALA 1517- SR-1	ACALA 1517- SR-2	ACALA 1517-	ACALA 1517-	ACALA 1517- 88	COKER 320	DEL DEL	DELTAPINE ACALA 90	0ES- 119	DUNN 400	MCNAIR 220	MCNAIR PAYMASTER 380 HS-26	AYMASTER HS-26	OTHER	
	Pct.	Pct.	Pct.	Pct.	Pet.	Pct.	Pet.	Pet.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pet.
IEXAS: TOTAL	1	1	ŧ	1	ι	1.7	ŧ	1	80°3	t	1	0.9	6.0	ŧ	6.0	100.0
NEW MEXICO: DONA ANA	ı	8	ı	44.6	t	40.0	í	ì	0.5	i	ŧ	13.0	1.9	1	1	100.0
EDDY ALL OTHER	5.4 6.4	7.1	2.9	14.4	43.0	37.0	7.6	l 1	3.4	l i	11.8	l t	1 1	ŧ į	7.1	100.0
TOTAL	3.0	3.0	1.2	16.3	27.3	33,3	2.6	ı	1.5	ŧ	5.0	2.9	*	ı	3.4	100.0
ARIZONA: COCHISE ALL OTHER	12.5	-tc - f	15.1	4.8	1 1	17.4	t 1	6.2	24.3	11.11	1 1	1 1	1 1	13.7	5.7	100.0
TOTAL	7.7	*	9.3	8.0	ě	10.7	ı	3.8	42.3	4.2	•	1	ı	8.5	5.2	100.0
OFFICE TOTAL	3.9	1.8	3,3	11.6	15.7	22.4	1.5	1.1	24.3	1.2	2.9	2.6	1.1	2.4	4.3	100.0

^{*} Less than 0.5 percent.

NOIE: Totals may not add due to rounding.

Table 9. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties by counties, crop of 1990

STATE AND COUNTY	304	COKER 315	COKER D 320	COKER DELTAPINE DELTAPINE DELTAPINE DELTAPINE 320 ACALA 90 20 50 · 51	ELTAPINE DE	ELTAPINE DI	ELTAPINE 51	DES- 119	MCNA IR 220	MCNAIR 235	NORTHRUP KING KC-311	NORTHRUP KING KC-380	PD-3	STONE- VILLE 453	ОТНЕЯ	TOTAL
NORTH CAROLINA	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pet.	Pct.	Pct.	Pct.	Pct.	Pct.
CLEVELAND	1	å	:	13.1	3.1	1	ı	ı	1	83.8	1	ı	i	ı	ı	100.0
HALIFAX	1	1.3	1.3	0.9	25.3	33.0	2.3	4.7	0:9	13.0	1.7	2.7	1	1	2.7	100.0
NORTHAMPTON	1	1	1	10.7	30.3	30.6	1.0	4.0	3.6	17.4	-#	0.9	1	1.1	ı	100.0
ALL OTHER	*	4.2	2.0	18.0	9,1	24.2	5.8	11.3	2.2	12.2	1.7	2.2	ı	2.5	4.1	100.0
TOTAL	*	3.1	1.6	14.9	14.7	26.2	4.4	9.0	3.0	14.2	1.5	2.1	1	1.8	က္	100.0
SOUTH CAROLINA	(C C				(,						
	3.0	38.3	21.1	18.7	ŀ	 	ì	ł	1	0.0	1	1	9.1	*	ထ္	100.0
MARLBORO	*	21.6	9.1	36.4	1	25.0	1	•	1	ı	3.4	ı	1	4.5	1	100.0
SUMPTER	1	21.3	1	36.7	1	1	t	ı	1	1	1	t	40.0	1	2.0	100.0
ALL OTHER	4	24.1	7.9	33.9	4	1.2	1	*	ı	1	6.5	+ c	18.2	6.2	0.8	100.0
TOTAL	6.0	26.8	10.2	31.3	ı	5.6	1	-te	í	*	3.8	- 4	15.4	3.9	1.5	100.0
OFFICE TOTAL	9.0	14.6	5.8	22.8	7.6	16.2	2.3	4.7	1.6	7.4	2.6	1.2	7.5	2.8	2.4	100.0

^{*} Less than 0.5 percent.

Less than U.S percent.

Table 10. Fresno Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

Pct. Pct. Pct.	Pct. Pct.	ACALA 6C-510 Pct. 57.1		6C-356 6C-356 Pct.	DP-6166 GC-356 Pct. Pct. 0.9 5.8	ACALA A DP-6166 GC Pct. 0.9		SJ-2 Pct. 31.4	SJ-2 Pct. 31.4	PREMA SJ-2 C-32 Pct. Pct.	C-4226 M-5 PREMA SJ-2 (EXP.) C-32 Pct. Pct. Pct. Pct.
Pct. Pct.		Pct. 57.1	ct.	-	Pct. P	Pct. Pct. P		91.4	9.4 31.4	Pct. Pct. Pct. * 3.4 31.4	Pct. Pct. Pct. Pct.
Pct.		Pct. 57.1 45.2	.t.	J. 2		Pct. 0.9	Pct. Pct. 0.8	31.4 0.8 0.9	3.4 31.4 0.8 0.9 4 1 35 1 - 0 9	Fet. Fet. Fet. Fet. Fet. Fet. Fet. Fet.	Pot. Pot. Pot. Pot. Pot. Pot. Pot. Pot.
		57.1	8.8	-		0.9	6.0 8.0	31.4 0.8 0.9	31.4 0.8 0.9	* 3.4 31.4 0.8 0.9	- + 3.4 31.4 0.8 0.9
		57.1	5.8	-		6.0	0.8 0.9	31.4 0.8 0.9	31.4 0.8 0.9	* 3.4 31.4 0.8 0.9	3.4 31.4 0.8 0.9
		45.2	10 1			0 0	00	35.1	35.1	25.1	35
		1.0	16.7		2.5			7.00	1.00	33.1	* 4.1 50.1
		44.3	21.8		0.5		2.1	25.4 2.1	25.4 2.1	25.4 2.1	25.4 2.1
		64.9	9.4		*	3.5 *		18.3	18.3	18.3	1.9 18.3
		13.5	38.4		1.5	3.2 1.5		38.1	38.1	38.1	38.1
		6	0		0		*	*	0000	0 00 00	0 00 00
		7.10	0	11.	0.0		0.0	20.0	20.0	20.0	0.0 1.4 0.00

1/ A portion of this county is served by Bakersfield Classing Office. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 11. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

ACALA 20 41 ACALA 20 41 90 Pct. Pct. Pct. Pc 2.5 11.3 - 43 - 12.2 - 43 13.3 1.4 - 56 0.7 7.9 - 64 40.4 2.2 - 42	DELTAPINE DELTAPINE 50 51 Pct. Pct. 34.0 47.7 43.0 * 56.9 - 56.9 - 59.0 - 64.3 -	DES- 119 119 Pet. 34.8 8.7 3.1 16.5 18.9	DES- 422 Pct.	STONE- VILLE . 112 Pct.	STONE- VILLE	STONE- VILLE 453	STONE- VILLE	STONE-	SUMMIT C-40	SUN	OTHER	1
11.3 12.2 12.2 1.4 23.1 7.9 37.4	G 4	Pet. 34.8 8.7 3.1 16.5 18.9	Pct.	Pct.	213		206	WILLE 825		HS46	OINER	IOIAL
11.3 12.2 1.4 23.1 7.9 -		34.8 8.7 3.1 16.5	1 1 1 1 4		Pct.	Pct.	Pct.	Pct.	· Pct.	Pct.	Pct.	Pct.
11.3 12.2 1.4 23.1 7.9 -		34.8 8.7 3.1 16.5	1 1 1 4									
12.2 1.4 23.1 7.9 - 37.4 -		34.8 8.7 3.1 16.5	1 1 4 4 1	i	1	ı	ï	ł	1.	ł	4.5	100.0
23.1 7.9 - 37.4 -		8.7 3.1 16.5 18.9	- - +	1	ı	1	1	•	7.7	1.3	9.0	100.0
23.1 - 7.9 - 37.4 2.2		3.1 16.5 18.9	1.4	1	ı	1.1	14.0	ı	ı	4.6	ı	100.0
7.9 - 37.4 2.2		16.5	1.4	ı	1	0.5	.*	11.3	2.0	1	1.0	100.0
37.4 2.2		18.9		0.7		1	2.1	6.4	ı	ì	1	100.0
2.2			ı	•	•	5.2	4.0	1	1	1.6	1.6	100.0
2.2		57.1	1	٠	1	5.4	1	13.6	ı		1.2	100.0
		8.8	•	1	1	2.2	1	1	1	2.5	ı	100.0
16.7	25.8	14.6	ı	4.7	ı	1	1		ı	1	1	100.0
19.4 0.8		22.4	1	1		3.8	0.5	1	ł	ı	1	100.0
53.5		5.5	1	•	ı	5.5	1	1	1	t	1	100.0
1		0.89	1	1	3	1	1	1	1	1	0.8	100.0
1	2.2	1	1.4	1	1	*	3.6	•	1	1	1.8	100.0
10.8		8.0	ı	2.1	9.4	6.2	1	10.9	ı	ī	2.3	100.0
20.8 0.8	15.0 3.1	16.5	*	ı	ı	4.1	2.5	0.8	1	0.5	2.1	100.0
3.9 17.7 * 46	46.7 3.5	17.4	*	*	0.8	2.8	1.4	2.6	8.0	0.5	1.2	100.0

* Less than 0.5 percent.

Table 12. Harlingen Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

		1	1													
STATE AND COUNTY	COKER DE 312	LTAPINE DE	COKER DELTAPINE DELTAPINE DELTAPINE DELTAPINE 312 20 41 50 51 90	LTAPINE DEI 50	TAPINE DEI	LTAPINE 90	DES- 119	HYPER- SC FORMER HS-46	SOUTHWEST 222	STONE- VILLE 112	STONE- VILLE 453	STONE- VILLE 825	C-30	TAMCOT CAB-CS	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
CAMERON	1	0.8	15.7	38.3	1.2	18.9	2.0	1.3	ı	0.5	4.1	11.0	ı	*	.5.9	100.0
HIDALGO	9.4	*	4.1	10.7	*	1.5	21.0	0.8	4.2	2.1	8.7	21.5	2.7	7.9	4.8	100.0
WILLACY	1	1.7	8.9	68.4	2.2	2.3	1.	1.3	ı	2.6	3.8	4.5	1	*	4.1	100.0
ALL OTHER	1		23.9	26.3	ı	i	1	1	1	I	6.4	20.6	1	22.9	1	100.0
OFFICE TOTAL	3.2	1.0	6.0	37.6	1.1	7.6	7.8	1.1	1.4	1.7	5.6	12.9	0.9	3.4	4.9	100.0
					1											

^{*} Less than 0.5 percent.

Table 13. Havti Claceing Office Fetimated nerron

											,	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		9000	1	
STATE AND COUNTY	ARKOT 518	130	DELTAPINE D ACALA 90	COKER DELTAPINE DELTAPINE DELTAPINE DELTAPINE DELTAPINE 130 ACALA 20 40 41 50 51 51 51	ELTAPINE DE	ELTAPINE DE	ELTAPINE DI 50.	ELTAPINE 51	DES- 119	HYPER- FORMER HS-46	STONE- VILLE 112	STONE- VILLE 453	STONE- VILLE 506	STONE- VILLE 825	OTHER	TOTAL
WIGGOIDT.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
DUNKLIN	1	ι	1	23.9	*	ı	58.3	1.5	6.0	ı	*	3.5	10.2	1.2	ı	100.0
NEW MADRID	1	1	1	8.6	1	1	31.4	*	7.1	ŧ	*	7.5	45.2	i	ì	100.0
PEMISCOT	1	ı	1	7.2	1	1	23.5	9.0	2.8	ı	ı	17.5	41.7	6.7	i	100.0
ALL OTHER	1	1	ł	8.3	3.4.	ı	29.7	6.0	1	ı	ı	9.4	16.5	1.8	í	100.0
TOTAL	ı	t	ı	15.5	*	1	42.4	6.0	2.7	1	+ļ¢	7.6	25.4	1.9	1	100.0
ARKANSAS: CRAIGHEAD	ı	4.1	0.5	50.4	1	ı	13.7	ı	2.5	1.2	ı	1	10.7	6	*	100.0
MISSISSIPPI	0.5	1	1	8.6	1	0.8	62.4	1.0	4.0) +	ı	4.2	17.0	1	t	100.0
POINSETT	- c	1	1	16.5	ı	ŧ	33.5		1.1	1.1	4.3	29.3	10.5	2.9	9.0	100.0
ALL OTHER	ŧ	ı	i	11.5	t		54.5	0.5	5.1	0.5	1	11.7	16.1	1	1	100.0
TOTAL	-¢c	*	ф¢	21.3	1	ф¢	44.5	0.5	ကို	0.7	0.7	8.1	14.2	5.4	*	100.0
OFFICE TOTAL	*	+	*	18.5	+k	- c	44.9	0.7	3.0	*	0.5	7.8	19.6	3.7	*	100.0
* Less than 0.5 percent	percent.														1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

Table 14. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

AND 1 COUNTY	ACALA 1517-75	ALL-TEX QUICKIE	COKER DELTAPINE 312 ACALA 90	LTAPINE CALA 90	DUNN 120	DUNN 224	HOLLAND PAYMASTER 1	AYMASTER PA HS-26	PAYMASTER 145	RANGER BB-53	SUMMIT SR383	TAMCOT CAB-CS	TAMCOT SP-21	TAMCOT SP-21S	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
DAMSON	9.0	1	0.8	5.1	6.8	*	1	42.6	18.8	ı	13.4	1	2.6	1.7	7.4	100.0
GAINES	2.9	1	1.7	1	2.2	0.9	1	46.3	8.3	11.6	4.9	ı	6.9	1.5	12.8	100.0
LYNN 1/	1	t	1	1	32.4	15.0	ı	27.3	1	1	1	ı	7.6	ı	17.7	100.0
MARTIN 2/	1	1	1	16.7	1	1	1	40.3	5.6	1	15,3	2.7	12.5	2.7	4.2	100.0
ALL OTHER	*	3.6	2.2	25.2	·#c	ı	4.3	26.5	18.6	ı	9.0	4.5	6.0	4.5	8.4	100.0
OFFICE TOTAL 3/	1.2	0.9	1.3	8.1	5.9	1.9	1.0	38.5	12.7	4.0	0.9	1.2	4.6	2.2	10.4	100.0

^{1/} A portion of this county is served by Lubbock Classing Office. 2/ A portion of this county is served by Abilene Classing Office. 3/ Includes small acreages in New Mexico.

NOTE: Totals may not add due to rounding.

OTHER SUMMIT SR-383 Table 15. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990 ROSEBUD PR80 RANGER BB-53 GSC PAYMASTER PAYMASTER PAYMASTER PAYMASTER 25 HS-26 18 145 303 404 65A 71 G & P 3774 COKER 500 CASCOT L-7 ALL-TEX QUICKIE STATE AND COUNTY

TOTAL

Pet. Pet.		5.0 100.0												8.5 100.0
Pct.		1 6												9.8
Pct.	10.4	16.7	1 1	ŧ	1	\$	1	ı	15.0	5.6	1	5.0	22.5	2.1
Pct.	1 15	2 3	1.4	0.7	1.0	1	1.4	4.6	ŧ	ı	2.4	1	1.5	1.1
Pct.	2.7	1	ŧ t	2.1	ŧ	1	2.3	1	1	1	1	•	2.1	6.0
Pct.	1 1	3	l 1	0.7	ı	ı	7.9	4.6	ı	1	1	ı	2.2	1.7
Pct.	55.5	60.09	45.1	50.6	9.6	44.2	5.9	6,1	0.09	82.2	4.0	5.0	12.5	28.2
Pct.	1 1	ı	F 1,	7.5	1	ı	ı	t	1	1	t	1	1	0.8
Pct.	6,6	2 - 6	34.3	16.1	58.1	23.1	70.2	30.9	٠	5.1	36.2	72.5	17.5	32.7
Pct.	2.7	1 0	3.9	4.4	1	25.0	1	1	1		ì	ı	2.1	5.5
Pct.	10.9	5.0	ř.	1		1	1	2.0	1	ı	ı	ı	2.5	6.0
Pct.	1 6	ŧ	3.9	*	1	1	1	1	ı	ı	t	•	13.2	1.0
Pct.	1 1	ı	! [1.0	ı	i	1	13.8	1	1	i	ŧ	1	1.3
Pct.	1 1	1 -	13.1	46		ı	1	ı	•	1	1	2.0	1	1.5
Pct.	2.7	30.0	3,9	0.7	18.4	1	2.3	1	4.0	ı	3.7	5.0	0.8	4.0
TFXAS:	BAILEY	COCHRAN	FLOYO	HALE	HOCKLEY	LAMB	LUBBOCK	LYNN 1/	PARMER	SWISHER	TERRY 1/	YOAKUM 1/	ALL OTHER	OFFICE TOTAL 2/

^{1/} A portion of this county is served by Lamesa Classing Office. 2/ Includes small acreages in New Mexico. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

	TOTAL	Pet.	100.0	100.0	100.0	100.0	100.0
	OTHER	Pet.	3.2		4.0	2.5	2.4
	T1FC0T 56	Pct.		. 1	1	0.7	0.5
of 1990	STONE- VILLE 825	Pct.	1	1	5.7	4.8	4.1
ties, crop	STONE- VILLE 506	Pct.			1.	0.8	9.0
arieties, by counties, crop of 1990	STONE- VILLE 453	Pct.		9.1.	30.5	4.0	6.9
arietie	PD-3	Pct.	1	1	*	0.7	9.0
o specif	MCNAIR 235	Pct.	1	2.2	6.5	3.5	3.6
planted t	MCNA IR 220	Pct.	1	1.6	6.2	2.7	2.9
on acreage	HYPER- FORMER HS-46	Pct.	1	1.6	1	1.3	1.1
ge of cott	DES- 119	Pet.	23.5	2.2	2.0	4.7	4.8
ated percentage of cotton acreage planted to specif	LTAP INE 51	Pct.	1.3		1	6.0	0.7
	COKER DELTAPINE DELTAPINE DELTAPINE 315 ACALA 41 50 51 51	Pct.	1.9	4.5	7.7	4.5	4.8
ng Office:	LTAPINE DE 41	Pet.	10.7	0.5	11.7	7.0	6.9
con Classi	LTAPINE DE ACALA 90	Pct.	59.4	85.7	18.6	59.6	57.6
Table 16. Macon Classing Office:	COKER DE	Pct.	•	1	8.9	2.2	2.5
Та	STATE AND COUNTY	GF ORGIA:	BURKE	COLQUITT	DOOLY	ALL OTHER	OFFICE TOTAL

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 17. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

OTHER TOTAL	Pct. Pct.	0 001 -	100.00	1000	3.8 100.0		100.0	- 100.0	- 100.0	3.1 100.0	- 100.0	0.5 100.0		9.7 100.0		- 100.0	0.50 100.0	- 100.0	2.3 100.0		× 00+	100.0	0.9 100.0	0.7 100.0	0.9 100.0
	Pct.													1											
	Pct.					,																			- 19
	Pct.																,								
	Pct.																								
= 0.9	t. Pet.																								
STONE- VILLE 825	Pct. Pct.	1.7	*	5.1	2.0	1.8	1.2	3.5	,	7.4	1.2	3.0		. 1	3.9	1	5.5	9.9	1.5		1	7.7	1.5	1.9	2.5
STONE- STO VILLE VI 506	Pct. P	5.8	1.3					6.9		9.2	7.4	6.4		3.0		1.6			4.3		30.0	2.7	14.9	15.7	8.0
STONE- SI VILLE 1	Pct.	7.6	14.6	4.7	1	21.2	11.2	9.8	17.1	6.2	8.8	10.8		9.7			26.3		9.4				8.0	9.3	10.2
NORTHRUP KING KC380	Pct.	1	1	1	1.7	1	ı	1	1	0.9	*	*		i	2.2	22.1	3.7	,	11.0		1	ı	*	*	2.1
MCNAIR N 235	Pet.	•	. 1	1.5	19.7	1.3	1	•	1	1	1	1.3		t	ı	1	1.2	1	*		1	1	4.2	3.3	1.5
0ES- 119	Pct.	1	15.4	1	9.0	1.3	1.5	1.7	4.6	1,0	1	2.1		4.8	•	6.8	4.4	1	4.7		7.2	12.3	9.0	2.6	2.7
DEL TAP INE 50	Pct.				51.3			7.07				53,5				62.9		47.1	59.0				48.5	47.0	53.1
DELTAPINE DELTAPINE 20 S0	Pet.	11.9	26.1	33.5	7.6	30.4	16.1	8.6	53.2	19.5	25.3	22.1		9.7	22.8	3.2	5.1	•	7.8		21.4	2.3	21.0	19.3	19.0
STATE AND COUNTY	TENNESSEE.	CROCKETT	FAYETTE	61BS0N	HARDEMAN	HAYWOOD	LAUDERDALE	MADISON	SHELBY	TIPTON	ALL OTHER	TOTAL	ARKANSAS:	CRITTENDEN	LEE	PHILLIPS	ST.FRANCIS	ALL OTHER	TOTAL	MISSISSIPPI:	MARSHALL	TATE	ALL OTHER	TOTAL	OFFICE TOTAL

1/ * Less than 0.5 percent.

Table 18. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

Pet. Pet.			ACALA 20 41 50 51 61 // 120 90
	Pct. Pct.		Pct.
0.8	* 0.8	* 0.8	*
	1		
4.8	1.9 4.8		1.9
3.4			- 54.6
1	4	4	- 8.7.8
2.2	6.4 2.2		6.4
	70		병수 기가
11.1	2.6 11.1 * 14.0		
13.3	0.8 13.3		8.0
3.7	5.7 3.7		5.7

^{*} Less than 0.5 percent.

Table 19. Rayville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1990

R TOTAL	. Pct.					. 1		49.75	**		2 100.0	5 100.0
OTHER	Pet.		2.1		1.					1.	0.5	0.5
C-40	Pct.	- T		4.1	7.1	3.7		1 (%)		•	1	1.9
STONE- VILLE 825	Pet.	1	7.3	3.0	15.3	2.2	1			8.2	2.2	4.3
STONE- VILLE 506	Pet.	3.2	3.6	1.5	0.8	1.9	1	17.8	2.4	5.7	9.0	4.3
STONE- VILLE 453	Pet.	10.6	6.7	2.2	5.2	1.9	15.0	1 (21) -5	1.8	5.9	3.3	3.6
STONE- VILLE 112	Pct.	1	1	0.8	1.0		,		-		•	*
MCNAIR 235	Pet.	, 1	1.3	1	1	1	***************************************	- 7.2	119	•	100	*
HYPER- FORMER HS-47	Pet.	7.8	- 6	1	1	-			1	1	1.7	9.0
DES- 119	Pet.	21.0	E-13	0.5	11.4	4.6	-	V	1000	3.7	3.8	4.3
EL TAP INE 51	Pct.	1.6	1.3	•	9.0	9.0	1	1.9		•	2.9	1.2
DELTAPINE DELTAPINE 50 51	Pet.	44.6	47:7	33,3	6.5	17.4	20:0	5.6	30.1	3.7	25.5	19.4
ELTAPINE D	Pct.		4.0	•		1	15.0	1.9	40.9	1	13.3	8.0
DELTAPINE DELTAPINE 20 41	Pet.	9.2	18.7	6.2	4.0	25.6	15.0	5.7	14.7	3.7	30.6	14.6
DELTAPINE DI ACALA 90	Pct.	2.0	0.9	48.4	46.9	41.5	35.0	67.1	10.1	67.8	15.4	36.9
CHEMBRED DI	Pet.		1	- 1117 1110	1	9.0	4	Ton Control	-	•	· orbitalia	*
STATE AND PARISH		LOUISIANA: CADDO	CATAHOULA	EAST CARROLL	FRANKLIN	MOREHOUSE	RAPIDES	RICHLAND	TENSAS	WEST CARROLL	ALL OTHER	OFFICE TOTAL

^{*} Less than 0.5 percent.

Table 20. Waco Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

Pct. TEXAS: BRAZOS ELLIS CT BEAD			ארארא א	20	ACALA 90 20 50 51	51	119	GP 3774	GP 5479	LX-571	LAINKAK! 57	LANKAR! 61.1	VILLE 453	CAB-CS	OTHER	TOTAL
DEXAS: BRAZOS ELLIS ET BEND	1	Pet.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pet.
ELLIS ET BEND		1		1	65.0	10.0	20.0	1	1	1	.1	1	ı	1	20	100
ET BEND	1	1	54.0	1	26.0	1			1	. !	18.0	1	- 1	1	2.0	100
DEIND		1	1	51.0	37.0	2.0	2.0	. 1,	. 1	1	1	1	5.0	1	3.0	100.0
	1	1	10.01	1	10.0	5.0	1	19.0	56.0	1	. 1	1	1	1	1	100.0
	14.0	ı	9.0	1	0.6	1	1	57.0	1	- 1	t	11.0	1	1	1.	100.0
	1	1	5.0		50.0		5.0	1	1	30.0	. 1	1	1	1	10.0	100.0
	1	1	3.0	41.0	28.0	1	15.0	1	1	1	1	1	8.0	1	5.0	100.0
	1	8.0	59.0	3.0	16.0	1.0	1	1.0	1	1	1	1	1	5.0	7.0	100.0
	1.1	8.0	21.2	11.2	31.9	1.6	2.2	3.3	1.1	*	3.0	4.8	4.3	1	9.1	100.0
	2.0	1.6	23.7	13.0	29.4	1.8	3.2	4.2	4.3	1.8	2.6	2.2	2.8	1.3	6.3	100.0

* Less that 0.5 percent.

Table 21. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1990

Pima S-5	Pima S-6	Other	Total
Percent	Percent	Percent	Percent
2.2	97.8	-	100.0
-	100.0		100.0
-	100.0	1 2 2 1 - E E E E E & E	100.0
-	100.0	-1 201	100.0
1.3	98.7	DIESE TERRET	100.0
	Percent 2.2	Percent Percent 2.2 97.8 - 100.0 - 100.0 - 100.0	Percent Percent Percent 2.2 97.8 100.0 100.0 100.0 -

^{*} Less than 0.5 percent.

Table 22. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1990

Classing Offices	Pima S-5	: Pima S-6	Other	¦ ¦ Total
	Percent	Percent	Percent	Percent
Bakersfield:	- 4	100.0	-	100.0
Corpus Christi:	r - 1	100.0	2 2 28 23	100.0
El Paso:				
Arizona	_	100.0	2 2 2 2 2 3 3 3 3	100.0
New Mexico	-	100.0	- C	100.0
Texas	-	100.0		100.0
Office total 1/	-	100.0	地名 一直 1	10.0.0
Fresno:	-	100.0		100.0
Phoenix: Arizona		THE REAL PROPERTY.	tage dage 1	
Office total 2/	2.8	97.2		100.0

^{1/} Includes small acreages in Waco Classing Office area.

^{2/} Includes small acreages in El Centro Classing Office area.